

SBC Engine Code	Years	Displacement c.i.(cc)	Bore x Stroke in mm	Power HP(kW)	Torque	Compression Ratio	Block and heads (Iron or Aluminum)
265	1955-1957	4,342 cc	95.25 mm x 76.20 mm	180 hp (134 kW)	257lb.-ft	8.00:1	Iron
				210 hp (157 kW)	270lb.-ft	9.25:1	
				225 hp (168 kW)		10.3:1	
				240 hp (179 kW)			
283	1957-1967	4,637 cc	98.45 mm x 76.2 mm	188 hp (140 kW)	290 lb.ft	8.5	Iron
				283 hp (211 kW)		9.5	
						10.5	
307	1968-1973	5,030 cc	98.5 mm x 82.8 mm	200 hp (149 kW)	300 lb.-ft	9 1	Aluminum
				130 hp (97 kW)	230 lb.-ft		
				115 hp (86 kW)	205 lb.-ft		
302	1967 - 1969	4,948 cc	101.6 mm x 76.2 mm	290 hp (216 kW)	290 lb.ft	11.0:1	Iron
327	1962 - 1969	5,363 cc	102 mm x 82.55 mm	225 - 383 (168 - 286 kW)	352 lb.-ft	11.0:1	Iron
					344 lb.-ft		
350	1967 - 2005	5,735 cc	101.6 mm x 88.4 mm	145 hp - 350 hp	255 lb. -ft - 380 lb.-ft	8.2:1 - 11.0:1	Iron
	L-46	1967 - 1980	5,735 cc	101.6 mm x 88.4 mm	350 hp (261 kW)	380 lb.-ft	11.0:1
L65	1970 - 1976	5,733 cc	101.6 mm x 88.4 mm	145 hp (108 kW)	255 lb. -ft	9.1:1	Iron
LM1	1977 - 1988	5,733 cc	101.6 mm x 88.4 mm	155 - 175 hp (116 - 130 kW)	270 lb.-ft	8.5:1	Iron
					280 lb.-ft	8.2:1	
ZQ3	1969 - 1974	5,733 cc	101.6 mm x 88.4 mm	190 - 300 hp (142 - 224 kW)	270 lb.-ft	10.25:1	Iron
						8.5:1	
LT1	1970 - 1972	5,733 cc	101.6 mm x 88.4 mm	250 hp - 370 hp (186 - 276 kW)	270 - 300 lb.-ft	9.1:1	Iron
L82	1973 - 1980	5,733 cc	101.6 mm x 88.4 mm	205 hp - 250 hp (153 - 186 kW)	255 -285 lb.-ft	9 1	Iron
L81	1981	5,733 cc	101.6 mm x 88.4 mm	190 hp (142 kW)	350 lb.-ft	8.2:1	Iron
LS9	1969 - 1986	5,733 cc	101.6 mm x 88.4 mm	165 hp (123 kW)	275 lb.-ft	8.2:1	Iron
LT-9	1981 - 1986	5,733 cc	101.6 mm x 88.4 mm	160 hp (119 kW)	250 lb.-ft	8.3:1	Iron
L83	1982 - 1984	5,733 cc	101.6 mm x 88.4 mm	200 - 205 hp (149 -153 kW)	350 lb.-ft	9.0:1	Iron
L98	1985 - 1992	5,733 cc	101.6 mm x 88.4 mm	225 - 250 hp (168 - 186 kW)	330-345 lb. ft	9.5:1 - 10:1	Iron/Aluminum
L05	1987 - 1996	5,733 cc	101.6 mm x 88.4 mm	195 hp - 210 hp	310 lb.-ft	9.1:1	Iron
L31	1987 - 2005	5,733 cc	101.6 mm x 88.4 mm	255 hp - 350 hp (190 - 261 kW)	350 lb.-ft	9.4:1	Iron
400	1970 -1980	6,554 cc	104.8 mm x 92.25 mm	245 hp - 265 hp (183 - 198 kW)	Up to 400 lb.-ft	10.5:1	Iron
262	1975 - 1976	4,301 cc	93.2 mm x 78.7 mm	110 hp (82 kW)	195 lb.-ft	9.1:1	Iron
305	1976-2003	5,001 cc	94.9 mm x 88.4 mm	120 hp - 230 hp	214 lb.-ft - 285 lb.-ft	8.3:1 - 9.5:1	Iron block, aluminum heads
				130 hp (97 kW)	250 lb.-ft	8.5:1	Iron block, aluminum heads
LG4	1980 - 1987	5,001 cc	94.9 mm x 88.4 mm	150 - 170 hp (112 - 127 kW)	240 - 250 lb.-ft	8.4:1 to 8.6:1	Iron block, aluminum heads
LU5	1982 - 1984	5,001 cc	94.9 mm x 88.4 mm	165 hp - 175 hp (123 kW - 130 kW)	240 - 250 lb.-ft	9.5:1	Iron block, aluminum heads

SBC Engine Code	Years	Displacement c.i.(cc)	Bore x Stroke in mm	Power HP(kW)	Torque	Compression Ratio	Block and heads (Iron or Alumium)
L69	1983 - 1986	5,001 cc	94.9 mm × 88.4 mm	180 - 190 hp (134 - 142 kW)	240 lb.-ft	9.5:1	Iron block, aluminum heads
LE9	1981 -1986	5,001 cc	94.9 mm × 88.4 mm	165 hp (123 kW)	240 lb.-ft	9.5:1	Iron block, aluminum heads
LB9	1985 - 1992	5,001 cc	94.9 mm × 88.4 mm	190–230 hp (142–172 kW)	275 - 300 lb.-ft	9.5:1	Iron block, aluminum heads
L03	1987 - 1995	5,001 cc	94.9 mm × 88.4 mm	170 hp (127 kW)	275 lb. -ft	9.5:1	Iron block, aluminum heads
L30	1996 - 2003	5,020 cc	95 mm × 88.4 mm	230 hp (172 kW)	285 lb.-ft	9.1:1	Iron block, aluminum heads
267	1979 - 1982	4,389 cc	88.4 mm x 88.9 mm	120 hp (89 kW)	215 lb.-ft	8.3:1	Iron